

NC 37

2021 MARKETING BOOK



JEANNEAU

CONTENT

SPECIFICATIONS

MODEL YEAR CHANGES 2021

KEY POINTS

EXTERIOR

INTERIOR

AMBIANCE

ELECTRONIC PACK


TECHNICAL INFORMATIONS



MODEL YEAR CHANGES 2021

nc 37


- RECALL: WHITE HULL SINCE MYC 2020 (STANDARD)
- WHITE CORIAN KITCHEN WORKTOP (STANDARD)
- WHITE CORIAN BAR WORKTOP (OPTION)
- NEW INT. UPHOLSTERY: BRITTANY TAUPE ET IVORY (OPTION)
- TV 22": ONLY PREWIRING POSSIBLE (OPTION)
- TV 32": PREWIRING AND OPTION TV 32" (OPTION)
- VOLVO EASY CONNECT (OPTION)
- MONA LISON BED LINEN (OPTION)
- SUN PROTECTION ABOVE FRONT SUNBATHING (OPTION)



Ivory



Brittany Taupe




SPECIFICATIONS

NC 37



Overall length	11,9 m / 39'
Hull length	9,86 m / 32'4"
Beam	3,59 m / 11'78"
Mini Air draft	2,88 m / 9'4"
Maxi Air draft	4,26 m / 13'9"
Displacement	6533 kg / 14402 Lbs
Max. engine	2 x 260 cv
Fuel capacity	650 l / 172 US gal
Water capacity	200/300 l / 52/79 US gal
Holding tank capacity	85 l / 22 US gal
Cold capacity	80 l / 21 US gal (Standard in Galley) 80 l / 21 US gal (Option Companionway)
Cabins	2/3
Berths	4/8 (Option)
Motorization	2xD3-220 DPS 2xD4-260 DPS
CE category	B8 / C10
Architect	Mickael PETERS Yacht Design / Jeanneau Engineering



EXTERIOR

nc 37



EXTERIOR

nc 37



KEY POINTS ...

nc 37



The philosophy behind the NC line is simple:

- **Life on board is all on one level** making moving around the boat safe, inviting and easy.
- The concept is an **apartment with a terrace giving direct access to the water.**
- With her **superb hull design, exceptional seaworthiness and generous living spaces,** the NC37 is the perfect choice for enjoying life aboard with family and friends.

EXTERIOR

nc 37

Key Points

Big aft Bathing Platform

Recessed Side Decks

Side Door at the Helm station and Coaming

L-shaped Aft Cockpit

Folding Saloon Glass Door




EXTERIOR

nc 37

Big aft Bathing Platform

- 1 Storage for life raft or lines and fenders.
- 2 Cover with storage for shore power cable.
- 3 Integrated bathing ladder.
- 4 Cross docking cleats.

1m
0,355 m




EXTERIOR

nc 37




Big aft Bathing Platform



EXTERIOR

nc 37

Recessed Side-Decks



EXTERIOR

nc 37

Safe Cockpit Door



Manual Bidge Pump




Hot and Cold Shower




EXTERIOR

nc 37

Side Door @ Helm station



- Cleat easy to reach. ☐
- Quick Deck Access.
- Communication.
- Ventilation.



EXTERIOR

nc 37


Side Door in Coaming

- Easy to reach Diesel Deck Fillers: ☐



Cockpit

- 1 L- Shape Sofa transformable into Sunpad.
- 2 Foldable Teak Table with Cup-Holders.
- 3 Fix or Electric Sliding Sun Awning.
- 4 Easy Engine Room Access.
- 5 Cockpit bar.
- 6 No Step!





EXTERIOR

nc 37

L-shaped Aft Cockpit

(Option: L-Shape Sofa transformable into Sunpad)





EXTERIOR

nc 37



Teak Cockpit Table (Option)

- Foldable, Pivotal, Demountable Table with Cup-Holders.



EXTERIOR

nc 37

Teak Cockpit Table (Option)



EXTERIOR

nc 37

Cockpit Bar

(Option)



Recall Model Year Change 2021 :
White Corian Bar Worktop

EXTERIOR

nc 37



Cockpit Sun Protection (Option)

Fix or Electric Sliding Sun Awning (Sureshade)



EXTERIOR

nc 37



Cockpit Sun Protection

(Additional Option: Full Cockpit Enclosure)



Engine Room

- Easy Engine Room and Maintenance
- Access and Storage 1

(The Storage is replaced by the Generator if the option is chosen)



EXTERIOR

nc 37



STANDARD:
Folding Saloon Door
and Bar Window



EXTERIOR

nc 37

OPTION (Trim Level Première):

Folding Saloon Door **with Passage-Door** and Bar Window.





EXTERIOR

nc 37



Electric Sliding Glass Roof

(Standard: Two Opening Hatches)



Heat Protection



+

Mosquito Protection



EXTERIOR

nc 37

Mooring



16 kg Britany Anchor
28m Chain Ø10mm
40m Rope Ø18mm
Windlass with remote control
Big Line and Fender Storage



One Part Windscreen

Great Visibility!



EXTERIOR

nc 37



Big Front Sunbathing Area (Option)

(Standard: One Opening Hatch)




Cup-Holders

Handrails



Sun Protection above front Sun Bed

(Option)



EXTERIOR

nc 37



Wide front sunpad

(Option : CANOPY)



EXTERIOR

nc 37



Deck Hatches

Light and Ventilation



Second Deck Hatch
(Première Trim Level)

EXTERIOR

nc 37

Courtesy Lights

(Première Trim Level)




EXTERIOR

nc 37



Gas-Locker in Cockpit Sofa



For the access to the gas-locker, please slide the bench in the forward position.



KEY POINTS ●●●

NC 37



INTERIOR

- **L-Shape Salon**
- **Separated Toilet**
- **Separated Shower**
- **2+1 Cabins/Cellar**
- **Lots of natural Light**
- **Versatility and Storage**



INTERIOR

nc 37



INTERIOR

nc 37




Inside-Outside Feeling



INTERIOR

nc 37



INTERIOR

NC 37




Option : 3rd Cabin



INTERIOR

nc 37



INTERIOR

nc 37



Helm station



INTERIOR

nc 37



Helm station

Bolster



INTERIOR

Helm station

Adjustable Ergonomics



INTERIOR

nc 37



Helm station

Good Visibility of the
Instruments and Space
for additional equipments



INTERIOR

nc 37

Helm station

Quick Access to Emergency Shot-Offs






INTERIOR

nc 37



STORAGE!




INTERIOR / EXTERIOR

nc 37



STORAGE!



INTERIOR

nc 37

SALOON

Folding and Sliding Table with Cup Holders

(Option: Adjustable Height with Double Berth in Saloon Option)

0,6 m
1,4 m



SALOON

Tilting Co-pilot Bench



INTERIOR

SALOON

Option : Berth in Saloon with Black-Out
Curtains



INTERIOR

SALOON

TV (on pivoting support)
Visible also from the cockpit!



INTERIOR

Ventilation!



INTERIOR

nc 37

Front Cabin



With Vanity, Wardrobe and lots of Storage and Natural Light




INTERIOR

nc 37

FRONT CABIN WITH BIG BERTH



- 1 Comfortable Double Berth
- 2 Wardrobe
- 3 Vanity
- 4 Mirror
- 5 Hanging Lockers (Option)
- 6 Ventilation



INTERIOR

FRONT CABIN

Mosquito and Sun Protection
Indirect Light
(Première Trim Level)



INTERIOR

FRONT CABIN

TV



INTERIOR

nc 37



2nd Cabin




1 2 Single Berth
convertible into
1 Double Berth

2 Wardrobe

3 Storage

4 Ventilation

1,6 m
2 m



INTERIOR



3rd Cabin

Standard:

- 1 Cave with Lights
Side-Storage
- 2 Hull Window
Access from the Front and
- 3 Top (Galley Hatch)

Option:

- 4 Curtains
- 5 Mattress
Clima Outlets



INTERIOR

nc 37



3rd Cabin

Optional Mattress (You can fix the mattress upright in order to use the cabin as storage) 1

1,2 m
1,9 m



INTERIOR

3rd Cabin / Cave

Access also from the Galley



INTERIOR

Galley on Floor Level


Hanging Lockers, Bar, Gas Cooktops and Fridge 80L in Standard



INTERIOR

nc 37

Galley



INTERIOR

Bathroom

With separated Shower

1

Ventilation

2

Full Standing Height Mirror

3

Storage

4



INTERIOR

nc 37

Separated Toilet

(Option: With Sink (Première Trim Level))



- 1 Storage
- 2 Ventilation
- 3 Sink



INTERIOR

nc 37



ELECTRIC SWITCH PANEL

Navicolor

Black Water Bail Out

Battery Switches

USB

Air conditioning

Fusion Radio



AMBIANCE

		EXTERIOR ATMOSPHERE - AMBIANCE EXTÉRIEURE					INTERIOR ATMOSPHERE - AMBIANCE INTÉRIEURE			
	RANGE GAMME	Outer Seatings <i>Selleries extérieures</i>	Premium outer Seatings <i>Selleries extérieures Premium</i>	Awnings <i>Capotages</i>	Covers <i>Protections</i>	Outer Curtains <i>Rideaux Extérieurs</i>	Bulkheads & furniture / Floorboards <i>Cloisons & meubles / Planchers</i>	Saloon <i>Carré</i>	Front Cabin <i>Cabine avant</i>	Aft Cabin <i>Cabine arrière</i>
OUTBOARD	CAP CAMARAT CC / BR	DIAMANTE MOONLIGHT / DIAMANTE METEOR	-	• Sunbrella Silver • Sunbrella Graphite T-Top : • Sunbrella Dark Smoke	• PVC Stamold White	-	CC9.0CC WALNUT (<i>Noyer flr</i>) / BROWN OAK (<i>Chêne brun</i>)	-	-	-
	CAP CAMARAT WA / DC					-	WALNUT (<i>Noyer flr</i>) / BROWN OAK (<i>Chêne brun</i>)	WHITE GOLD		
	CAP CAMARAT 10.5 S2 / 12.5 WA	SILVERTEX ICE / DIAMANTE SNOW / DIAMANTE CARBON / DIAMANTE LAVA	-	-		MARLIN PURE WHITE White Gold (o)		12.5 WA WHITE GOLD 10.5 S2 MARLIN PURE WHITE White Gold (o)		
	MERRY FISHER	DIAMANTE MOONLIGHT / DIAMANTE CARBON	-	• Sunbrella Silver • Sunbrella Graphite		-	WALNUT (<i>Noyer flr</i>) / BROWN OAK (<i>Chêne brun</i>)	JUMBO SILVER PVC Dolce Artesian (o) (MF 895 / 895 Marlin / 1095 only)	JUMBO SILVER	
	LEADER	CARBONWHITE Camel White (o)	PREMIUM Silvertex Macadamia / Silvertex ICE / Twister Black	• Sunbrella Dark Smoke		-	WALNUT (<i>Noyer flr</i>) / ROVERE ASBURGO White Oak (<i>chêne flotté</i>) / Brown Oak (<i>chêne brun</i>)	LINEN OYSTER WHITE • PVC Marlin Weiss (o) • Brittany Taupe (o) • Ivory (o) • Foglizzo Leather (o) *(Leader 40/46)	Leader 30 / 33 / 36 LINEN OYSTER WHITE	
INBOARD	NC	WHITE CREAM OCEAN White Cream Camel (o)	PREMIUM Silvertex Beige / Silvertex ICE / Twister Black (o)		• Sunbrella Dark Smoke • Sunworker Charcoal	Leader 40 / 46 PREMIUM MATTRESS				
							PREMIUM MATTRESS			

(o) OPTION

Carpets / Moquettes LEADER / NC : Souplesse 94 - CAP CAMARAT 9.0 / 10.5 / 12.5 WA / MERRY FISHER 895 / 1095 : E quator 97

Curtains / Rideaux : LEADER / NC : Turbine Ivory - MERRY FISHER : Turbine 11 Shale

*Leather / Cuir FOGLIZZO selection : Blanc Cassé DK01 - Beige DK05 - Cognac DK08 - Marron DK02 - Taupe DK45 (Leader 40 / 46 only)


JEANNEAU

AMBIANCE & MATERIALS

nc 37



SELLERIES INTÉRIEURES / INTERIOR UPHOLSTERY

CARRE / SALOON

STANDARD



LINEN
OYSTER

OPTIONS TISSUS / OPTIONS FABRICS



PVC
MARLIN
WEISS



BRITTANY
TAUPE



IVORY

CABINES / CABINS

STANDARD



PREMIUM

AMBIANCE & MATERIALS

nc 37



Sellerie avec mousse standard / Upholstery with standard foam

STANDARD OPTION



1 White Cream Ocean

White Cream Camel

Sellerie Premium avec mousse drainante / Premium upholstery with self draining foam

OPTION (USA = STANDARD) OPTION



2 Silvertex Macadamia / Silvertex Ice / Twister Black



Silvertex Beige / Silvertex Ice / Twister Black

Boiserie intérieure standard / Interior woodworks standard

NOYER FIL / WALNUT PLANCHER ROVERE ASBURGO / ROVERE ASBURGO FLOOR



Boiserie intérieure en option / Interior woodworks in option

CHÊNE FLOTTÉ / WHITE OAK PLANCHER CHÊNE BRUN / BROWN OAK FLOOR



CAPOTAGES / AWNINGS



SUNBRELLA DARK SMOKE



SUNWORKER CHARCOAL *

PROTECTIONS / COVERS



PVC STAMOID WHITE



NEW OPTION


A collection of organic certified bed linens

Per cabin:

- **1 Grey made to measure fitted sheet**
- **1 Grey duvet cover with white contrast piping**
- **2 white pillowcases with grey contrast piping all around**
- **1 Organic cotton duvet**
- **2 Pillows**



natural home linen



ELECTRONIC PACK

nc 37



Raymarine



Inhull Depth Transducer.
Raymarine part number : A80170



Touchscreen Multifunction display,
600 W Digital Echo Sounder embedded
Charts EU, US or ROW supplied.
View and take control of Axiom Series from your tablet
or smartphone using built-in Wi-Fi and Raymarine
mobile apps.
Can be connected to the Fusion Link equipment.
Raymarine part number: E70367



ELECTRONIC PACK

nc 37



OPTIONS - Electronic Pack required

Axiom 12 Multifunction
12" Display instead of Axiom 9




Touchscreen Multifunction display,
600W RMS Digital Echo Sounder embedded
Raymarine part number: E70369

RAY90 DSC VHF radio



Supplied with handset and loudspeaker
Raymarine part numbers : E70492 all versions

Evolution Autopilot
on engines without
Joystick control
(Diesel engines only)



Autopilot control on the
Multifunction display.
Electronics compass with
built-in Rate Gyro EV-1,
power unit ACU-400 ,
rudder reference
transducer. Raymarine part
numbers: E70096 + E70100

Evolution Autopilot
on engines with
Joystick control
(Diesel engines only)



Autopilot control on the
Multifunction display.
Electronics compass
with built-in Rate Gyro
EV-2, and CAN control.
Raymarine part number:
E70097

Autopilot control unit -
Autopilot option needed



Autopilot control head p70Rs
Raymarine part number: E70332


ClearCruise Augmented
Reality function for Axiom



AR200 IP Camera stabilisation
part number: E70537

Marine video IP camera
part number: E70346

Class B AIS transceiver



AIS700 class B AIS transceiver with
built-in antenna splitter.
Receive and transmit AIS navigation
status information on Axiom.
Raymarine part number : E70476

Quantum 2 CHIRP Radar 24 MN



Quantum 2 Doppler antenna using CHIRP
Pulse Compression technology and
Doppler collision avoidance technology.
Raymarine part number: E70498

TV INSTALLATION

nc 37



OPTION

32'' TV and Pre-Wiring 22''

- TV size available on option: 32'' (requires the option TV prewiring).
- If there is not enough cabin space for a TV 32'' we only offer the TV prewiring option.
- All TV installation and prewiring options are always sold with their own and dedicated 12V-200V converter (in order to watch TV while mooring) independently of the choice of the option « Inverter » for the service battery banks.



220V
(pure sinus)



12V

ENGINES 2x D3 -220

NC 37



VOLVO D3-220cv

Caractéristique / Specifications:

2 moteurs In Bord / In Board engines: 2x220cv

Hélice / Propeller: FH2

Capacité carburant /Fuel capacity

650,0 L

Déplacement total du bateau / Total displacement of boat tested: 8834 Kg

Regime en tours par minute au tableau de bord / RPM on instrument panel	Vitesse en nœuds moyenne au gps / Average speed on gps in knots	Consommation moteur en litres par heure / consumption engine in liter an hour	Rendement / Efficiency (L/NM = Liter per Nautical Mile)	Consommation totale en USGal / heure Total consumption in USGal/h	Rendement / Efficiency (NM / US Gal)	Autonomie en miles nautiques (avec réserve 20%) /Range in Nautical Miles (with 20% fuel safety)	Remarques / Comments
1000	4,9 Nds	3,5 l/h	,72L/NM	,92 USGal/h	5,25 NM/USGAL	720,57 NM	
1600	6,8 Nds	11,7 l/h	1,72L/NM	3,09 USGal/h	2,20 NM/USGAL	302,22 NM	
2000	8,1 Nds	21,9 l/h	2,70L/NM	5,79 USGal/h	1,40 NM/USGAL	192,33 NM	
2400	9,3 Nds	33,8 l/h	3,63L/NM	8,93 USGal/h	1,04 NM/USGAL	143,08 NM	
2800	10,2 Nds	47,1 l/h	4,64L/NM	12,44 USGal/h	,82 NM/USGAL	112,06 NM	
3200	13,7 Nds	62,1 l/h	4,53L/NM	16,41 USGal/h	,84 NM/USGAL	114,72 NM	
3600	21,3 Nds	74,7 l/h	3,52L/NM	19,73 USGal/h	1,08 NM/USGAL	147,93 NM	
4000	26,6 Nds	91,3 l/h	3,43L/NM	24,12 USGal/h	1,10 NM/USGAL	151,50 NM	
4050	27,7 Nds	93,5 l/h	3,38L/NM	24,70 USGal/h	1,12 NM/USGAL	154,05 NM	

Conditions optimales théoriques et purement indicatives des essais : /Optimal theoretical conditions, purely indicative for trials :

Coque neuve, vent 12nds, mer belle petit clapot, antifouling / new hull, wind 12 knots, nice little choppy sea, antifouling

ENGINES 2x D4 - 260

nc 37

**VOLVO D4-270cv**Caractéristique / Specifications:

1 moteur In Bord / In Board engines: D4-270

Hélice / Propeller: H4

Half Load

Déplacement total du bateau / Total displacement of boat tested: 9390 Kg

Regime en tours par minute au tableau de bord / RPM on instrument panel	Vitesse en nœuds moyenne au radar / Average speed on the radar in knots	Consommation moteur en litres par heure / consumption engine in liter an hour	Rendement / Efficiency (NM/L)	Consommation totale en USGal / heure Total consumption in GPH	Rendement / Efficiency (NM/USGal)	Autonomie en NM (avec réserve 20%) /Range in NM (with 20% fuel supply)	Remarques / Comments
700	4,2 Nds	3,0 l/h	,7l/NM	,8 USGal/h	5,3 NM/USGal	728,00 NM	
1000	5,7 Nds	6,4 l/h	1,1l/NM	1,7 USGal/h	3,4 NM/USGal	461,95 NM	
1500	8,0 Nds	16,0 l/h	2,0l/NM	4,2 USGal/h	1,9 NM/USGal	259,02 NM	
2000	9,7 Nds	37,2 l/h	3,9l/NM	9,8 USGal/h	1,0 NM/USGal	134,89 NM	
2500	13,4 Nds	57,6 l/h	4,3l/NM	15,2 USGal/h	,9 NM/USGal	120,97 NM	
2800	18,7 Nds	64,8 l/h	3,5l/NM	17,1 USGal/h	1,1 NM/USGal	149,66 NM	
3000	22,6 Nds	67,2 l/h	3,0l/NM	17,8 USGal/h	1,3 NM/USGal	174,49 NM	
3200	25,7 Nds	73,2 l/h	2,9l/NM	19,3 USGal/h	1,3 NM/USGal	182,21 NM	
3400	29,2 Nds	84,0 l/h	2,9l/NM	22,2 USGal/h	1,3 NM/USGal	180,76 NM	
3500	30,6 Nds	88,8 l/h	2,9l/NM	23,5 USGal/h	1,3 NM/USGal	178,90 NM	
3640	31,6 Nds	97,8 l/h	3,1l/NM	25,8 USGal/h	1,2 NM/USGal	167,75 NM	

Conditions optimales théoriques et purement indicatives des essais: /Optimal theoretical conditions, purely indicative for trials :

Coque neuve, vent 18nds, mer belle petit clapot, antifouling / new hull, wind 18 knots, nice little choppy sea, antifouling

EC REGULATION

nc 37



2021
CERTIFICATION CE / EC REGULATIONS

	Certification N° / Regulation N°	Longueur coque* / Hull length*	Largeur coque* / Hull beam*	Charge max / Max load	Catégorie / Category	Personnes / Persons	Moteur(s) / Engine(s)		
Modèle / Model							Version	Kw	Cv / Hp
NC 33	B SPB 16239 MM	8.81m	3.32m	2 730kg	B-C	8-10	VOLVO 2xD3-200 (2x200cv)	2x 140	2x 190
							VOLVO 2xD3-220 (2x220cv)	2x 154	2x 209
NC37	B SPB 18012 MM	9.86m	3.59	2 805kg	B-C	9-10	VOLVO 2xD3-220 (2x220cv)	2x 154	2x 209
							MERCRUISER 2 x 270 CV	2x 191	2x 260
							VOLVO 2xD4-270 (2x270cv)	2x 191	2x 260

Pour les homologations en cours, toutes les informations doivent être considérées comme provisoires. Les catégories et nombre de personnes indiqués correspondent à la demande faite par le chantier et non à une confirmation.

When the EC regulation is in progress, please consider all information as provisional. The categories and number of person written are requested by the Jeanneau Yard, not confirmed.

** Indiqué sur la DEC (Déclaration Ecrite de Conformité) / * Written on the WSC (Written Statement of Compliance)*

ND: Non Disponible / No Data

MOORING

nc 37



2021

KIT AMARRAGE - MOUILLAGE / MOORING - ANCHORING KITS

		MOUILLAGE / ANCHORING						AMARRE / MOORING		PARE-BATTAGE / FENDERS	
Modèle	Code / Ref.	Ancre / Anchor		Chaîne / Chain		Cablot / Line		Code / Ref.	Désignation / Detail	Code / Ref.	Désignation / Detail
NC 33	162305	16kg	Britany	10mm	28m	40m	18mm	43145	4x D16 L12000	189033	6x 700xD250
NC37	162305	16kg	Britany	10mm	28m	40m	18mm	43145	4x D16 L12000	189033	6x 700xD250

PACKING / TRANSPORT

nc 37



2021

COLISAGE / PACKING LIST

Modèle	Longueur HT / <i>Length overall</i> (m)	Largeur HT / <i>Width overal</i> (m)	Hauteur HT / <i>Height overall</i> (m)	Hauteur sur ber / <i>Height on cradle</i> (m)	Poids est. bateau / <i>Est. boat weight</i> (kg)	Poids est. ber / <i>Est. Weight cradle</i> (kg)	Volume s. ber / <i>Volume on cradle</i> (m3)
NC 33	10.67	3.33	3.45	3.61	5 366	294	128.27
NC37	11.71	3.69	3.64	3.80	6 439	400	164.20

Poids des bateaux Inboard: moteur maxi inclus / Weight inboard boats: with max. engine size

TRANSPORT PRICES

nc 37



2021

TARIFS DE TRANSPORT / TRANSPORT COSTS

Modèle	Zeebrugge	Anvers	Dunkerque	Le Havre	St Malo	Saint Gilles Les Sables Noirmoutier	La Rochelle Montoir La Baule	Arcachon	Gruissan Port Leucate	Marseille Port St Louis	Antibes Saint Laurent du Var
NC 33	4620	4620	3223	2288	1744	924	1529	1947	3575	4620	4945
NC 37	4620	4620	3597	2561	1958	924	1529	2041	3801	4620	5616

Tarifs indicatifs des transports au départ de l'usine - France (€ HT) / Average transport costs from factory - France (€ w/o VAT)

Ces prix ne sont pas contractuels / These prices are not contractual

2021

DROITS ANNUELS POUR LA FRANCE (législation française)

Modèle	Motorisation	Longueur Coque	Puissance administrative du moteur (CV)	Droits longueur (€)	Droits moteurs (€)	Total droits (€)
NC 33	VOLVO 2 x D3-200 (2 x 200 CV)	8,81	2 x 9,63	105	455	560
	VOLVO 2 x D3-220 (2 x 220 CV)					
NC37	VOLVO 2 x D3-220 (2 x 220 CV)	9,86	2 x 9,63	178	455	633
	MERCUISER 2 x 270 CV		2 x 11,98		680	858
	VOLVO 2 x D4-270 (2 x 270 CV)		2 x 14,7		1012	1190

Ces prix sont donnés à titre indicatif et sous réserve des modifications liées à la législation en vigueur.


Francisation obligatoire auprès des Douanes et taxation des navires de moins de 7 mètres dotés d'une motorisation égale ou supérieure à 22cv (Puissance administrative).

* Calcul sous réserve car puissance administrative non confirmée par le motoriste.


INTERIOR MATTRESSES




3d Cabin STB



Front Cabin



Aft Cabin BD





NC37 with 2x D3 - 220

- Option Weight Calculator -

(The maximum weight of options with the D3-220 is 535kg.

**Please validate your choice of options before sending the order and
join a copy of the result to your order form)**

CALCULER

WEIGHT CALCULATOR


NC 37

- The engine choice for the NC37 is the D3; As clients ask for more and different option? we have succeeded to offer more equipment on the NC37 than on the NC11. As we have a bigger choice of options, the weight of options is limited to **535kg**. In order to help our clients and you to optimize the choice of options, we have created an easy to use **Option Weight Calculator** for the D3-220 Version of the NC37. For clients who wish to have an over-motorisation, we offer the D4-260 and with this engine, we have no option weight restriction.
- We have a commitment with **Volvo-Penta** on the weight of the boat and the application of their **guarantee**.
- Optimize the weight of the boat and **attach a copy of the result to your order**.



WEIGHT CALCULATOR

1. Site Pro: Espace Tarif / Order Your Boat




2. Choose: NC37



3. Choose: « Calculer »




4





Save + Print



7. Save and Print (in PDF format)

8. Fill out the order according to the choosen options and mail it together with the Weight Sheet.

Sélection des versions - NC 37

Ces chapitres obligatoires sont suivis d'un astérisque *

Tarif Net HT au 01/06/2018

Zone de navigation *	☒ "0 0001 ZONE EUROPE	Sans suppl.
	☐ "0 0010 ZONE AMERIQUE DU NORD	Sans suppl.
	☐ "0 0021 ZONE ROW 230V 50HZ	Sans suppl.
	☐ "0 0022 ZONE ROW 115V 60HZ	Sans suppl.
	☐ "0 0023 ZONE ROW 230V 60HZ	Sans suppl.
MOTOPROPULSION *	☐ "1 100J VOLVO D4-260ZD 2X1010KW(260CV) DIESEL + JOYSTICK	270 900,00 €
	☐ "1 100Z VOLVO D4-260ZD 2X1010KW(260CV) DIESEL	255 000,00 €
	☒ "1 100X VOLVO D3-226ZD 2X1020KW(226CV) DIESEL + JOYSTICK	259 400,00 €
	☐ "1 100Y VOLVO D3-226ZD 2X1020KW(226CV) DIESEL	246 000,00 €
AMENAGEMENT *	☐ "3 305F BOISERIES INTERIEURES EN NOYER FIL	3 150,00 €
	☐ "3 305Z BOISERIES INTERIEURES EN MOABI	Sans suppl.
VERSIONS DIVERSES *	☐ "4 471 VERSION DOUBLE PAINNEAUX DE TIMONERIE OUVRANTS MANUELS	Sans suppl.
	☐ "4 472 VERSION TOT COULISSANT ELECTRIQUE	7 220,00 €

SUIVANT

This document was updated in March 2021.
It may contain illustrations or text representing
or referring to optional equipment.

If changes appear on our 2021 models,
with regard to equipment or options referred to in this document,
only the 2021 Jeanneau pricing will apply.

